



# TACO BELL

## DRIVE THRU RESTAURANT EXPLORER LITE SMALL28

### 4210 ROSEWOOD DR PLEASANTON, CA. 94588


- A. ALL WORK SHALL CONFORM TO THE 2016 EDITION OF THE CALIFORNIA BUILDING CODE, AND ALL OTHER APPLICABLE CODES, STANDARDS, AND REGULATIONS OF THE CITY OF WHITTIER AND COUNTY OF LOS ANGELES.
- B. IT IS INTENDED THAT A COMPLETE OCCUPIABLE BUILDING PROJECT IS PROVIDED.
- C. THE GENERAL CONDITIONS OF THE CONTRACT FOR CONSTRUCTION (A.I.A. A201 LATEST EDITION) ARE A PART OF THESE CONTRACT DOCUMENTS. A COPY IS ON FILE AT THE ARCHITECTS OFFICE.
- D. THIS BUILDING HAS BEEN DESIGNED IN ACCORDANCE WITH THE RECOMMENDATIONS OF A GEOTECHNICAL INVESTIGATION DATED OCTOBER 12, 2016 BY GEO-ETKA, INC. THE REPORT IS PART OF THESE CONTRACT DOCUMENTS, AND THE CONTRACTOR IS RESPONSIBLE FOR CARRYING OUT ITS RECOMMENDATIONS, THOUGH SOME MAY NOT BE SPECIFICALLY DETAILED ON THE PLANS.
- E. DO NOT SCALE THESE DRAWINGS. VERIFY ALL DIMENSIONS AND CONDITIONS IN THE FIELD. ANY DISCREPANCIES IN THESE DRAWINGS SHALL BE BROUGHT TO THE ATTENTION OF THE ARCHITECT PRIOR TO STARTING WORK.
- F. ALL PROPOSED SUBSTITUTIONS SHALL BE APPROVED BY THE YUM BRANDS CONSTRUCTION MANAGER, IN WRITING, PRIOR TO INSTALLATION.
- G. RETAIN THE PROJECT GEOTECHNICAL ENGINEER TO PROVIDE OBSERVATION AND TESTING SERVICES DURING THE GRADING (INCLUDING UTILITY TRENCHES) AND FOUNDATION PHASE OF CONSTRUCTION AS RECOMMENDED IN THE GEOTECHNICAL REPORT. ALL TESTING AND INSPECTION REPORTS, INCLUDING FINAL SUMMATION LETTER, SHALL BE SUBMITTED TO THE BUILDING DEPARTMENT AND OWNER. G.C. SHALL CERTIFY PAD ELEVATION PRIOR TO START OF FOUNDATION WORK.
- H. SUBMIT PAY FEES AND OBTAIN ALL PERMITS ASSOCIATED WITH THE PROJECT EXCEPT GENERAL BUILDING PERMIT. THIS INCLUDES, BUT IS NOT LIMITED TO ELECTRICAL, MECHANICAL, PLUMBING, FIRE SPRINKLER, HOOD ANSUL, OR OTHER RELATED FIRE PERMITS, ENCROACHMENT PERMIT, ETC. YUM BRANDS WILL PAY FOR "CONNECTION FEES" ASSOCIATED WITH UTILITY PERMITS. PAY FOR TEMPORARY FACILITIES FEES AS REQUIRED TO COMPLETE THE WORK IN A TIMELY MANNER.
- I. PROVIDE EACH SUBCONTRACTOR WITH A COMPLETE AGENCY-PERMITTED DRAWING SET AT TIME OF CONSTRUCTION.
- J. ALL ABBREVIATIONS INCLUDED FOLLOW INDUSTRY STANDARDS. CONTACT ARCHITECT IF ANY ABBREVIATIONS ARE NOT CLEAR.
- K. GC SHALL SUPPLY AND INSTALL ALL ASPECTS OF THE PROJECT DESCRIBED IN THIS DRAWING SET UNLESS OTHERWISE NOTED. SEE SCOPE OF WORK FOR EXCEPTIONS.
- L. GRAPHIC AND WRITTEN INFORMATION ON DRAWINGS SHALL BE COORDINATED WITH ALL TRADES PRIOR TO INSTALLATION.
- M. ALL MATERIALS STAGED TO BE USED FOR CONSTRUCTION SHALL BE PROTECTED FROM EXCESSIVE MOISTURE. IF THEY ARE EXPOSED TO MOISTURE THEY SHOULD BE ADEQUATELY DRIED BEFORE ENCAPSULATED INTO THE BUILDING.
- N. ALL PAINTS, ADHESIVES, COATINGS AND SEALANTS USED INSIDE THE BUILDING SHALL HAVE A LOW VOC CONTENT.

#### PROJECT GENERAL NOTES

**GENERAL DRAWING SYMBOLS**

	ROOM NAME		ELEV. LETTER
	SHEET NUMBER		ELEV. SHEET
	ELEVATION NUMBER		DOOR NUMBER
	CEILING HEIGHT		WINDOW NUMBER / DECOR ITEM NUMBER
	BLDG. SECTION LETTER		EXTERIOR WALL FINISH NUMBER
	BLDG. SECTION SHEET		KEY NOTE NUMBER
	DETAIL NUMBER		EQUIPMENT NUMBER
	DIRECTION OF DETAIL		INTERIOR FINISH
	DETAIL SHEET		INTERIOR WALL TYPE
	REVISION NUMBER		INTERIOR ELEVATION DESIGNATION
	BLDG. HEIGHT REFERENCE POINT		SHEAR WALL TYPE (STRUCTURAL)
			EQUIPMENT / FIXTURE NUMBER (M.E.P.)
			INDICATES SUSTAINABLE DESIGN

REFER TO STRUCTURAL, MECHANICAL, PLUMBING AND ELECTRICAL SHEETS FOR SPECIFIC SYMBOLS



#### VICINITY MAP

#### TITLE/SITE

T1.0 TITLE SHEET

#### SITE

A0.0 SHOP CENTER SITE PLAN  
A0.1 SITE PLAN  
L1.0 CONCEPTUAL LANDSCAPE PLAN

#### ARCHITECTURAL

A1.0 FLOOR PLAN  
A4.0 EXTERIOR ELEVATIONS

#### SHEET INDEX

#### TENANT

CONTACT: JINGLE BELL, LLC.  
ADDRESS: 6500 DUBLIN BLVD, SUITE 200F  
DUBLIN, CA. 94568.  
CONTACT: MR. SANDY SINGH  
PHONE: (925) 719-2883



#### ARCHITECT

MARKS ARCHITECTS INC  
2643 FOURTH AVE.  
SAN DIEGO, CA 92103  
CONTACT: DANIEL MARKS  
PHONE: 619. 702. 9448

#### PROJECT DIRECTORY

LEGAL JURISDICTION: CITY OF PLEASANTON, COUNTY OF ALAMEDA

BUILDING CODE: 2016 CALIFORNIA BUILDING CODE  
2016 CALIFORNIA MECHANICAL CODE  
2016 CALIFORNIA PLUMBING CODE  
2016 CALIFORNIA ELECTRICAL CODE  
2016 CALIFORNIA ENERGY CODE  
2016 CALIFORNIA GREEN BUILDING CODE

BUILDING AREA: BUILDING FOOTPRINT= 1,649 SF

LOT SIZE: 0.35 ACRES

SEATING: 28 (INDOOR)

OCCUPANCY: B

TYPE CONSTRUCTION: TYPE VB NON-SPRINKLERED

APN: \*\*\*\*.\*\*\*.\*\*\*

ZONING: (C-G) GENERAL COMMERCIAL

# PHONE LINES: 25 PAIR CABLE IN 2" CONDUIT

ELECTRIC SERVICE: 600 AMPS / 3 PHASE / 120-208 VOLT

GAS: 689,900 BTUH

#### BUILDING AREA AND OCCUPANT LOAD

TYPE	AREA	FACTOR	OCCUPANTS
DINING ROOM	441.00 S.F.	1.15 SF	29.4
KITCHEN	458.50 S.F.	1.200 SF	2.29
RESTROOMS	97.76 S.F.	0	0
<b>TOTAL</b>			<b>31.69</b>

#### PROJECT SUMMARY

#### SCOPE OF WORK:

NEW GROUND UP TACO BELL RESTAURANT WITH DRIVE THRU. NEW EXTERIOR IMPROVEMENTS, NEW LANDSCAPE, NEW DRIVE-THRU EQUIPMENT, 21 PARKING SPACES PROVIDED, 15 STANDARD STALLS + 1 ADA STALL. NEW INTERIOR DECOR, KITCHEN EQUIPMENT, HVAC UNITS, INSTALLATION OF 4 LIGHT POLES AND CONSTRUCTION OF 6'-0" HIGH TRASH ENCLOSURE (34'-9" LINEAR FEET).

#### SCOPE OF WORK



architecture  
interior design  
retail  
restaurants  
space planning  
master planning  
leed accredited  
casp

2643 fourth ave.  
san diego ca 92103  
619-702-9448

71905 hwy 111 #f  
rancho mirage ca 92270  
760-610-5264



©marks architects 2017/2018  
ALL REPORTS, PLANS AND DOCUMENTS PREPARED BY MARKS ARCHITECTS SHALL REMAIN THE PROPERTY OF MARKS ARCHITECTS AND IS INTENDED FOR USE FOR THIS SPECIFIC PROJECT ONLY.

PLANNING SUBMITTAL 10/07/19



TACO BELL  
4210 ROSEWOOD DR  
PLEASANTON, CA, 94588



SMALL 28  
EXPLORER  
LITE

#### TITLE SHEET

# T1.0






marks  
architects

architecture  
interior design  
retail  
restaurants  
space planning  
master planning  
lead accredited  
casp

2643 fourth ave.  
san diego ca 92103  
619-702-9448

71905 hwy 111 #f  
rancho mirage ca 92270  
760-610-5264



©marks architects 2017/2018  
ALL REPORTS, PLANS AND  
DOCUMENTS PREPARED BY MARKS  
ARCHITECTS SHALL REMAIN THE  
PROPERTY OF MARKS ARCHITECTS  
AND IS INTENDED FOR USE FOR THIS  
SPECIFIC PROJECT ONLY.

PLANNING SUBMITTAL 10/07/19

- △
- △
- △
- △
- △
- △
- △
- △



TACO BELL  
4210 ROSEWOOD DR  
PLEASANTON, CA, 94588



SMALL 28  
EXPLORER  
LITE

SHOPPING  
CENTER  
SITE PLAN

**A0.0**









architecture  
interior design  
retail  
restaurants  
space planning  
master planning  
lead accredited  
casp

2643 fourth ave.  
san diego ca 92103  
619-702-9448  
  
71905 hwy 111 #f  
rancho mirage ca 92270  
760-610-5264



©marks architects 2017/2018  
ALL REPORTS, PLANS AND DOCUMENTS PREPARED BY MARKS ARCHITECTS SHALL REMAIN THE PROPERTY OF MARKS ARCHITECTS AND IS INTENDED FOR USE FOR THIS SPECIFIC PROJECT ONLY.

PLANNING SUBMITTAL 10/07/19



TACO BELL  
4210 ROSEWOOD DR  
PLEASANTON, CA, 94588



SMALL 28  
EXPLORER  
LITE

**SITE  
PLAN**


**A0.1**

- 1 NEW RAMP AND WALKWAY
- 2 NEW YARD LIGHT FIXTURES TO BE SUPPLIED BY OWNER, AND INSTALLED BY G.C. MAX. MATCH SHOPPING CENTER FIXTURES
- 3 HC VAN ACCESSIBLE PARKING SPACE AND STRIPING.
- 4 NEW GREASE INTERCEPTOR
- 5 NEW TRASH ENCLOSURE
- 6 ACCESSIBLE PARKING SIGN.
- 7 PAINT HANDICAP SYMBOL - WHITE ON BLUE BACKGROUND. SEE DETAIL 17/A0.1
- 8 NEW MENU BOARD, SENSOR LOOP & SPEAKER PEDESTAL BY SIGN SUPPLIER. FOUNDATION AND ROUGH ELECTRICAL BY G.C. (4.0 AMPS). SEE DETAILS 2/A0.1, 16/A0.1 AND 1/A0.2
- 9 PAINT TRAFFIC ARROWS
- 10 PAINT 24" HIGH LETTERS - WHITE
- 11 LANDSCAPE AREA REFER TO LANDSCAPE DRAWINGS.
- 12 EXISTING SHOPPING CENTER LIGHT TO REMAIN.
- 13 NEW SAFETY BOLLARD. SEE DETAIL 8/A0.1
- 14 2%MAX. SLOPE OUTSIDE DOOR
- 15 EXISTING SHOPPING CENTER LANDSCAPE. NO WORK
- 16 ACCESSIBLE PATH OF TRAVEL
- 17 EXISTING CONCRETE GUTTER
- 18 EXISTING ELECTRICAL VAULT
- 19 NEW ELECTRICAL MAIN SWITCH BOARD. SEE ELECTRICAL DRAWINGS
- 20 TRUNCATED DOMES
- 21 NEW CLEARANCE BAR 12" TO FRONT OF CURB.
- 22 BLACK CONCRETE AT DRIVE THRU LANE
- 23 NEW WHEEL STOP
- 24 6" CONCRETE CURB AT LANDSCAPE.
- 25 CONCRETE WALKWAY
- 26 36" HIGH GUARDRAIL
- 27 CLEAN AIR PARKING SPACE
- 28 BICYCLE BOLLARD FOR 2 BICYCLES MFR: BELSON OUTDOORS MODEL #BOL450-2-SF-PS COLOR: BRONZE SLURRY COAT AND RESTRIPE EXISTING PARKING LOT

SHADED AREA DENOTES LIMITS OF GRADING (5,664 SF)


**KEY NOTES** N/A **B**

**NOT USED** N/A **C**




**TACO BELL SITE PLAN** 1"=10' **A**







**ROOT BARRIER**  
NOT TO SCALE



**TRIANGULAR SPACING GROUNDCOVERS & SHRUBS**  
NOT TO SCALE




**TREE PLANTING**  
NOT TO SCALE



**SHRUB PLANTING**  
NOT TO SCALE

**PLANT LIST**

ABBR	SIZE	SCIENTIFIC NAME	COMMON NAME
<b>TREES</b>			
PRU. K.V.	24" BOX	PRUNUS CERASIFERA 'KRAUTER VESUVIUS'	PURPLE LEAF PLUM
<b>UPRIGHT SHRUBS</b>			
LIG. TEX.	5 GAL.	LIGUSTRUM JAPONICUM 'TEXANUM'	TEXAS PRIVET
PHO. FRA.	15 GAL.	PHOTINIA FRASERI 'RED ROBIN'	RED ROBIN PHOTINIA
<b>ACCENT PLANTS</b>			
DIA. L.R.	1 GAL.	DIANELLA REVOLUTA 'LITTLE REV'	LITTLE REV FLAX LILY
DIE. BIC.	1 GAL.	DIETES BICOLOR	BICOLOR AFRICAN IRIS
FES. OVI.	1 GAL.	FESTUCA OVINA GLAUCA	BLUE FESCUE
HEM. HYB.	1 GAL.	HEMEROCALLIS HYBRID	DAYLILY HEMEROCALLIS
LOM. LON.	1 GAL.	LOMANDRA LONGIFOLIA 'BREEZE'	DWARF MAT RUSH
PHO. A.C.	5 GAL.	PHORMIUM TENAX 'ATROPURPUREUM COMPACTUM'	PURPLE NEW ZEALAND FLAX
PHO. ATR.	5 GAL.	PHORMIUM TENAX 'ATROPURPUREUM'	GIANT BRONZE NEW ZEALAND FLAX
PHO. M.C.	5 GAL.	PHORMIUM 'MAORI CHIEF'	MAORI CHIEF NEW ZEALAND FLAX
<b>MEDIUM FLOWERING SHRUBS</b>			
ABE. E.G.	5 GAL.	ABELIA GRANDIFLORA 'EDWARD GOUCHER'	EDWARD GOUCHER ABELIA
CAL. L.J.	5 GAL.	CALLISTEMON 'LITTLE JOHN'	DWARF BOTTLE BRUSH
ESC. N.D.	5 GAL.	ESCALLONIA NEWPORT DWARF	COMPACT RED ESCALLONIA
NAN. G.S.	5 GAL.	NANDINA 'GULF STREAM'	GULF STREAM HEAVENLY BAMBOO
RHA. PIN.	5 GAL.	RHAPHIOLEPIS INDICA 'PINKIE'	PINKIE INDIAN HAWTHORN
WES. G.B.	5 GAL.	WESTRINGIA FRUTICOSA 'GREY BOX'	DWARF COAST ROSEMARY
WES. MUN.	5 GAL.	WESTRINGIA FRUTICOSA MUNDI	LOW COAST ROSEMARY
<b>VINES</b>			
PAR. QUI.	5 GAL.	PARTHENOCISSUS QUINQUEFOLIA	VIRGINIA CREEPER
<b>GROUNDCOVERS</b>			
BAC. PIL.	1 GAL.	BACCHARIS PILLULARIS 'PIGEON POINT'	DWARF COYOTE BRUSH
ARC. P.S.	1 GAL.	ARCTOSTAPHYLOS 'PACIFIC MIST'	PACIFIC MIST MANZANITA
TRA. JAS.	1 GAL.	TRACHELOSPERMUM JASMINOIDES	STAR JASMINE



**LANDSCAPE CONCEPT PLAN**  
SCALE 1"=10'-0"

**marks architects**

architecture  
interior design  
retail  
restaurants  
space planning  
master planning  
lead accredited  
casp

2643 fourth ave.  
san diego ca 92103  
619-702-9448


71905 hwy 111 #f  
rancho mirage ca 92270  
760-610-5264



**sotelo**  
LANDSCAPE ARCHITECTS

2643 fourth avenue ph. 619.544.1977  
San Diego, CA 92103 www.sotelo.com

PLANNING SUBMITTAL 10/07/19



TACO BELL  
4210 ROSEWOOD DR  
PLEASANTON, CA. 94588

**TACO BELL**  
SMALL 28  
EXPLORER  
LITE

**LANDSCAPE CONCEPT PLAN**

**L1.0**






architecture  
interior design  
retail  
restaurants  
space planning  
master planning  
lead accredited  
casp


2643 fourth ave.  
san diego ca 92103  
619-702-9448

71905 hwy 111 #f  
rancho mirage ca 92270  
760-610-5264



©marks architects 2017/2018  
ALL REPORTS, PLANS AND  
DOCUMENTS PREPARED BY MARKS  
ARCHITECTS SHALL REMAIN THE  
PROPERTY OF MARKS ARCHITECTS  
AND IS INTENDED FOR USE FOR THIS  
SPECIFIC PROJECT ONLY.

PLANNING SUBMITTAL 10/07/19




TACO BELL  
4210 ROSEWOOD DR  
PLEASANTON, CA, 94588



FLOOR PLAN

A1.0





FLOOR PLAN 1/4"=1'-0" A

WALL LEGEND		E	
	TYPICAL EXTERIOR WALL: 2x6 WD STUDS AT 16" O.C. W/ SHEATHING AS SCHEDULED (SEE STRUCT. DWGS.) AND R-19 KRAFT-FACED FIBERGLASS BATT INSULATION U.O.N. GC SHALL PROVIDE 2 LAYERS OF GRADE 'D' 60 lb BUILDING PAPER.		INTERIOR SOUND-RATED WALL: TYPICAL INTERIOR WALL W/ 3-1/2" UNFACED FIBERGLASS BATT INSULATION.
	TYPICAL INTERIOR WALL: WD STUDS AT 16" O.C. AS INDICATED		HOODWALL: EXTERIOR WALL WITH 20 GA. S.S. PANEL BEHIND HOOD. EXTEND MIN. 18" BEYOND END OF HOOD. REFER TO DETAIL X/MX.X FOR EXTENT OF S.S. PANEL.
	1 2x4 WOOD STUDS		2 2x6 WOOD STUDS
	3 2x4 WOOD STUDS		4 2x6 WOOD STUDS
	DASHED LINE INDICATES INTERIOR SUBSTRATE LOCATION.		

DIMENSIONS:		D	
A.	ALL DIMENSIONS ARE TO FACE OF STUD U.O.N. REFER TO FOUNDATION PLAN FOR FACE OF CONC. DIMENSIONS.		
B.	DIMENSIONS NOTED AS 'CLEAR' OR 'HOLD' ARE MIN. REQ'D. NET CLEARANCE FROM FACE OF WALL / WAINSCOT FINISH. VERIFY FINAL EQUIPMENT SIZES W/ VENDOR PRIOR TO INT. WALL FRAMING.		
WINDOWS / DOORS:			
A.	SEE SHT. A1.1 FOR WINDOW TYPES AND DOOR SCHEDULE.		
B.	ALL DOOR AND WINDOW OPENING DIMENSIONS ARE TO ROUGH OPENING.		
FINISH SUBSTRATES:			
A.	PROVIDE 1/2" THICK CEMENTITIOUS BD. FROM FLOOR SLAB TO 12" A.F.F. MIN. IN LIEU OF GYP. BD. AT ALL WALLS EXCEPT SHEARWALL SURFACES. U.O.N.		
B.	ALL JOINTS, GAPS OR SPACES LEADING TO ALL HOLLOW OR INACCESSIBLE SPACES SHALL BE SEALED WITH 'NSF' INTERNATIONAL APPROVED SEALANTS.		
C.	ALL BACK OF HOUSE AND OFFICE WALLS SHALL HAVE 1/2" CDX PLYWOOD SUBSTRATE, U.O.N.		
DECOR:			
A.	SEE A2.0 FOR SEATING PLAN AND DETAILS.		
B.	SEE A7.0 FOR FLOOR FINISHES.		
C.	SEE A8.0 - A8.3 FOR WALL FINISHES.		
D.	SEE A7.1 FOR CEILING FINISHES.		
GENERAL:			
A.	PROVIDE THREE FIRE EXTINGUISHERS - (2) 10 lb. BC and (1) 10 lb. ABC - TO COMPLY WITH LOCAL FIRE CODE. LOCATE PER DIRECTION OF FIRE MARSHAL OR LOCAL AUTHORIZING AGENT.		
B.	DRAWINGS ARE BASED UPON WOOD FRAMING. UTILIZATION OF METAL STUDS ON NON-BEARING INTERIOR PARTITIONS, BULKHEADS AND SOFFITS IS ACCEPTABLE.		
C.	ALL ATTACHMENTS MADE THROUGH E.I.F.S. SHALL BE BUSHED TO PREVENT DAMAGE TO THE FINISH. PER 9/A6.2.		
D.	ALL PENETRATIONS THROUGH E.I.F.S. SHALL BE SEALED USING MFRS. APPROVED METHOD.		


KEY NOTES		B	
1	STARTING POINT. ALL SUB-TRADES SHALL USE THIS POINT AS A BEGINNING LAY-OUT (INSIDE FACE OF EXT. WALL STUDS).	15	ROOF LADDER SEE X/AX.X
2	NO FRP BEHIND (W-359) WALK-IN COOLER/FREEZER.	16	REMOVABLE ASTRAGAL FROM INSIDE ONLY.
3	PIPE BOLLARD. SEE DETAIL X/C1.0.	17	METAL STUDS REQUIRED PER LOCAL CODES.
4	HOOD WALL. SEE WALL LEGEND.	18	INDICATES WATER HEATER LOCATION.
5	ELECTRICAL MAIN SWITCH BOARD. REFER TO ELECT. DWGS.	19	SPLASH GUARD. SEE DETAIL X/AX.X.
6	CO2 FILL BOX LOCATION.	20	LIGHTED WALL. REFER TO DETAIL 5/A8.0
7	TILE TO METAL THRESHOLD.	21	FUR OUT WALL AS INDICATED WITH 2x4 WOOD STUDS AT 16" O.C.
8	KEEP CLEAR FOR UTILITIES & SYRUP LINES. SEE DETAIL XX & XX/AX.X FOR STUD LAYOUT REQUIREMENTS.	22	CANOPY ABOVE. SEE EXTERIOR ELEVATIONS.
9	MOP SINK. REFER TO SHEET A2.0 & A2.1.	23	KIOSK POWER STUB LOCATION TO RUN WITHIN LEG OF KIOSK
10	S.S. CORNER GUARD / WALL CAP [M-2]. TYP. ALL CORNERS IN BACK-OF-HOUSE FROM REAR WALL TO THE KITCHEN SIDE OF THE SERVICE COUNTER. SEE DETAIL XX/AX.X.	24	KIOSK DATA STUB LOCATION TO RUN WITHIN LEG OF KIOSK
11	ELECT. PANELS RECESSED IN 2x6 WALL.		
12	LIGHTING CONTROL PANEL SURFACE MOUNTED. REFER TO ELECT. DWGS.		
13	SYRUP LINE CHASE (ABOVE). SEE DETAIL XX/AX.X.		
14	14"x14" HORIZONTAL OPENING FOR SYRUP TUBES. COORDINATE WALL PENETRATION WITH COUNTER INSTALLER. SEAL CHASE TO COUNTER. SEE XX/AX.X.		








**SOUTH SIDE ELEVATION** 1/4"=1" **A**



**NORTH SIDE ELEVATION** 1/4"=1" **B**



**WEST SIDE ELEVATION** 1/4"=1" **D**




**EAST SIDE ELEVATION** 1/4"=1" **C**

**marks**  
architects

architecture  
interior design  
retail  
restaurants  
space planning  
master planning  
leed accredited  
casp

2643 fourth ave.  
san diego ca 92103  
619-702-9448

71905 hwy 111 #f  
rancho mirage ca 92270  
760-610-5264



©marks architects 2017/2018  
ALL REPORTS, PLANS AND  
DOCUMENTS PREPARED BY MARKS  
ARCHITECTS SHALL REMAIN THE  
PROPERTY OF MARKS ARCHITECTS  
AND IS INTENDED FOR USE FOR THIS  
SPECIFIC PROJECT ONLY.

PLANNING SUBMITTAL 10/07/19

- △
- △
- △
- △
- △
- △
- △
- △

TACO BELL  
4210 ROSEWOOD DR  
PLEASANTON, CA, 94588

**TACO BELL**  
SMALL 28  
EXPLORER  
LITE

**PROPOSED  
ELEVATIONS**

**A4.0**